

Work Order ID 71641

Thursday, July 07, 2011 11:28:27 AM



Page 1

Item ID: D3245-043

Accept



Setup Start



Revision ID:

Stop



Item Name: Door Assembly

Start Date: 7/7/2011 Start Qty: 8.00



Cust Item ID:

Required Date: 7/21/2011 Req'd Qty: 8.00



Customer:

Reference:

Approvals:

Process Plan: MF

Date: 11-07-07

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3245	Rev B								
100	Pick Kit	0.00							
Packaging	Memo	0.00							
Packaging									
110	Small Fab	0.00							
Small Fab	Memo	0.00							
Small Fab	1-Install Studs and Gromets as per Dwg D3245□3-Bond Gasket using 3M ADHESIVE as per Dwg D3245□A/R 3M 1300/1300L ADHESIVE Batch: <u>1117780</u>								
120	QC5- Inspect part completeness to step on W/O	0.00							
QC	Memo	0.00							
Quality Control									

11/07/12 (8)

11/08/09 (8)

(X4)

Sulastog

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 71641

Thursday, July 07, 2011 11:28:27 AM



Page 2

Item ID: D3245-043

Accept



Setup Start



Revision ID:

Stop



Item Name: Door Assembly

Start Date: 7/7/2011 Start Qty: 8.00



Cust Item ID:

Required Date: 7/21/2011 Req'd Qty: 8.00



Customer:

Reference:

Run Start



Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130



Packaging

Identify as per dwg & Stock Location: 233B

0.00

Memo

0.00

Packaging

140



QC

QC21- Final Inspection - Work Order Release

0.00

Memo

0.00

Quality Control

11/8/10 80

OK 11/08/10

111-08-10
(4)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, July 07, 2011 11:28:25 AM

Page 1

Work Order ID: 71641

Parent Item: D3245-043

Parent Item Name: Door Assembly



Start Date: 7/7/2011

Required Date: 7/21/2011

Start Qty: 8.00

Required Qty: 8.00

Comments: IPP Rev :A New Issue 07-09-11 JLM Verified By:EC
IPP Rev:b ECN 1052 07-10-31 DD verified by:

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
127H-35 HALF GROMMET		Purchased	No			100	Each	5.0000	8	64		8/4/08/09	
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST398		5							
					117203	5							
2351-20-009-C3Y STUD		Purchased	No			110	Each	122.0000	8	64		8/11/08/07	
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST400		122							
					111733	12							
					117358	4							
					118086	100							
					15447	6							
D3245-3 Door		Manufactured	No			110	Each	11.0000	1	8		8/11/07/12	
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				GA		2							
					69552	2							
				ST233		9							
					63130	0							
					70080	9							

BT 1118261 (64x)
1118086 (64x)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, July 07, 2011 11:28:25 AM

Page 2

Work Order ID: 71641



Parent Item: D3245-043



Parent Item Name: Door Assembly

Start Date: 7/7/2011

Required Date: 7/21/2011

Start Qty: 8.00

Required Qty: 8.00

D3245-7

Manufactured No

110

Each

9.0000

1

8



Gasket



Handwritten: 8/5/07/12
8

Location

Loc Qty

Loc Code

GA

9


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




D3245-1
PANEL

2350-18-C3Y DZUS
RIGID RECEPTACLE (1)
MS20427M3-3 RIVET (2)
(8 PLACES)



MS20615M3-3 RIVET
(9 PLACES)

D3245-041 ACCESS PANEL ASSEMBLY



0.032
GAP

D3245-5
ANGLE PLATE

D3245-5
ANGLE PLATE

0.032
GAP


QTY -041	QTY -042	P/N	DESCRIPTION
X		D3245-041	ACCESS PANEL ASSEMBLY, LH
	X	D3245-042	ACCESS PANEL ASSEMBLY, RH
1		D3245-1	PANEL
	1	D3245-2	PANEL
1	1	D3245-5	ANGLE PLATE
8	8	2350-18-C3Y	DZUS RIGID RECEPTACLE
16	16	MS20427M3-3	RIVET
9	9	MS20615M3-3	RIVET

RELEASED
107-10-23

NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) ASSEMBLE IN ACCORDANCE WITH DART QSI 002
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3245-XX" AND B/N "BXXXXX" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.83 lbs

#71641



D3245-2
PANEL

2350-18-C3Y DZUS
RIGID RECEPTACLE (1)
MS20427M3-3 RIVET (2)
(8 PLACES)



MS20615M3-3 RIVET
(9 PLACES)

D3245-042 ACCESS PANEL ASSEMBLY

B	REMOVE Ø0.204 HOLES FROM D3245-1/-1F. REMOVE MS21060-L3K NUTPLATES & DURABLE BLACK GASKETS FROM D3245-041/-042. HOLES AND ITEMS ARE NOW PART OF INSTALLATION. ASSIGN PINS TO GASKETS & REFORMAT DRAWING	MB	07.10.02
A	NEW ISSUE	RF	04.01.27
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>[Signature]</i>		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D3245	SHEET 1 OF 7
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	ACCESS PANEL ASSEMBLY	12.5
DATE	07.10.02	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			





NOTE: Date & initial all entries



71641

C'SINK $\phi 0.170 \times 100^\circ$
(16 PLACES)

C'SINK $\phi 0.170 \times 100^\circ$
(16 PLACES)



D3245-1 PANEL BEND DETAIL, LH

D3245-2 PANEL BEND DETAIL, RH

RELEASED
07-10-23

NOTES:

- 1) MATERIAL: MAKE FROM D3245-1F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.70 lbs

DESIGN	TH	DART AEROSPACE LTD	
DRAWN	TH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	TH	DRAWING NO.	REV. B
MFG. APPR.	TH	D3245	SHEET 2 OF 7
APPROVED	TH	TITLE	SCALE
DE APPR.	TH	ACCESS PANEL ASSEMBLY	1:
DATE	07.10.02	COPYRIGHT © 2004 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial - Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

8 7 6 5 4 3 2 1

D3245-5 DOOR

2351-20-009-C3Y STUD (1)
127H-35 GROMMET (1)
(8 PLACES)

D3245-7 GASKET
(REF)

8.00
(TYP, REF)

D3245-043 DOOR ASSEMBLY

INSTALL D3245-7
GASKET ON THIS SIDE

#71641

QTY -043	P/N	DESCRIPTION
X	D3245-043	ACCESS PANEL ASSEMBLY
1	D3245-3	DOOR
1	D3245-7	GASKET
8	2351-20-009-C3Y	STUD
8	127H-35	GROMMET

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) INSTALL D3245-7 GASKET USING 3M SCOTCH-GRIP 1300/1300L ADHESIVE IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS
- 7) ASSEMBLE IN ACCORDANCE WITH DART QSI 002
- 8) IDENTIFICATION: IDENTIFY WITH DART P/N "D3245-043" AND B/N "BXXXXX" USING FINE POINT PERMANENT INK MARKER
- 9) WEIGHT: 0.73 lbs

RELEASED
7.10.02

DESIGN	TH	DART AEROSPACE LTD	
DRAWN	PH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	PH	DRAWING NO. D3245	REV. B
MFG. APPR.	PH		SHEET 3 OF 7
APPROVED	PH	TITLE ACCESS PANEL ASSEMBLY	SCALE
DE APPR.	PH		1:2
DATE	07.10.02	<small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

8 7 6 5 4 3 2 1


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DETAIL A: RELIEF
SCALE 1:1



DETAIL B: RELIEF
(TYP, 4 PLACES)
SCALE 1:1

1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET
(0.032 THICK, REF)
PER MIL-S-5019 (ANNEALED) 2B FINISH
(REF. DART SPEC. M304S22GA)

- 2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.70 lbs

RELEASED
MAY 10 23

D3245-1F PANEL FLAT PATTERN

DESIGN	#	DART AEROSPACE LTD	
DRAWN	B	HAWKESBURY, ONTARIO, CANADA	
CHECKED	PH	DRAWING NO.	REV. B
MFG. APPR.	12	D3245	SHEET 4 OF 7
APPROVED	12	TITLE	SCALE
DE APPR.	#	ACCESS PANEL ASSEMBLY	
DATE	07.10.02	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

8 7 6 5 4 3 2 1



D3245-3F DOOR FLAT PATTERN




D3245-3 DOOR BENDING DETAIL

RELEASED
07.10.02

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET (0.032 THICK, REF) PER MIL-S-5019 (ANNEALED) 2B FINISH (REF. DART SPEC. M304S22GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.67 lbs



DESIGN	<i>JE</i>	DART AEROSPACE LTD	
DRAWN	<i>JE</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>PH</i>	DRAWING NO. D3245	REV. B
MFG. APPR.	<i>DS</i>	SHEET 5 OF 7	
APPROVED	<i>JE</i>	TITLE	SCALE
DE APPR.	<i>JE</i>	ACCESS PANEL ASSEMBLY	
DATE	07.10.02	1:2	

COPYRIGHT © 2004 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

8 7 6 5 4 3 2 1

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


8 7 6 5 4 3 2 1




#71641



D3245-5F FLAT PATTERN



**D3245-5 BEND DETAIL
(MAKE FROM D3245-5F)**



RELEASED
07.10.23

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET (0.032 THICK, REF)
PER MIL-S-5019 (ANNEALED) 2B FINISH
(REF. DART SPEC. M304S22GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.08 lbs

DESIGN	PH	DART AEROSPACE LTD	
DRAWN	PH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	PH	DRAWING NO. D3245	REV. B
MFG. APPR.	PH	SHEET 6 OF 7	
APPROVED	PH	TITLE ACCESS PANEL ASSEMBLY	SCALE 1:1
DE APPR.	PH	COPYRIGHT © 2004 BY DART AEROSPACE LTD	
DATE	07.10.02	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D3245-7 GASKET



D3245-X GASKET

P/N	LENGTH
D3245-9	8.35
D3245-11	9.01
D3245-13	9.50

#71641

RELEASED
07/10/02

- NOTES:
- 1) MATERIAL: DURABLE BLACK GASKET, 0.035 THICK
(PER MIL-A-7021C OR MIL-A-17472B OR MIL-G-12803A)
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: N/A

DESIGN	<i>[Signature]</i>	DART AEROSPACE LTD	
DRAWN	<i>[Signature]</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO. D3245	REV. B
MFG. APPR.	<i>[Signature]</i>		SHEET 7 OF 7
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	ACCESS PANEL ASSEMBLY	1:2
DATE	07.10.02	<small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D3245-7 GASKET



D3245-X GASKET

P/N	LENGTH
D3245-9	8.35
D3245-11	9.01
D3245-13	9.50

#71641

RELEASED
07/10/02

NOTES:

- 1) MATERIAL: DURABLE BLACK GASKET, 0.035 THICK
(PER MIL-A-7021C OR MIL-A-17472B OR MIL-G-12803A)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A

DESIGN	TH	DART AEROSPACE LTD	
DRAWN	PH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	PH	DRAWING NO. D3245	REV. B
MFG. APPR.	PH		SHEET 7 OF 7
APPROVED	PH	TITLE ACCESS PANEL ASSEMBLY	SCALE 1:2
DE APPR.	PH		
DATE	07.10.02	<small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries